VI. An Account of two Observations upon the Cataract of the Eye; contain'd in a Letter from Signor Antonio Benevoli, Master-Surgeon in the Hospital of S. Maria Nuova in Florence, to Dr. Valsalva; Printed in Italian at Florence, this present Year, and communicated to the Royal Society, at the Desire of the Author, by Sir Thomas Dereham, F.R. S.

IN this Letter the learned Author informs Signor Val-falva, that, on the 13th of July in the Year 1720. he had couch'd a German Soldier of Cataracts in both his Eyes, who immediately after the Operation recover'd the Sight of both Eyes, and continued to fee till his Death, which happen'd of an Acute Illness on the 6th of April in this prefent Year. Upon this, Signor Benevoli took the Eyes out of their Orbits, in order to examine whether the Cataracts, which this Soldier had been couch'd of, confifted of a membranous Pellicle, as fome Writers maintain; or, as others pretend, of a preternatural Opacity in the Crystalline Humour. Proceeding immediately to the Diffection of the left Eye, upon a careful and very exact Examination of all the Contents of it, he could not find any fuch thing as a Pellicle within it, but discover'd a small yellowish Body at the bottom of the Bulb of the Eye, of a lenticular Shape, without Adhesion to any of the other Parts

Parts of the Eye, which, upon taking it out, appear'd to be the Crystalline Humour grown opake, and something less than its natural Size, having two or three small Dents, or Impressions, made in its Circumstence, which it had received from the Needle during

the Operation of couching.

The next Day he examin'd the right Eye in the same manner, in the Presence of several eminent Physicians and Surgeons, and other curious Persons, whom he had invited to the Demonstration, and found in it the Crystalline grown opake and depressed in the same manner as the former, to the bottom of the Eye, still carrying the Marks of the Needle evidently upon it, but found no Pellicle within the Eye, notwithstanding the most diligent Signor Benevoli farther Search he could make for it. relates, that having formerly made fome Experiments upon the Eyes of dead Subjects, at Bologna, in company with Dr. Valsalva, he had introduced the Needle into the Eye in the same Place, and in the same Manner, as is commonly practifed in the Operation of couching, and having afterwards diffected the same Eyes, he had always found, that the Needle had pass'd into the Eye on the backfide of the Crystalline Humour, so that it had been impossible to bring the Needle forward from thence into that Part of the aqueous Humour, which is feated between the Vvea and the Crystalline Humour, in order to depress a Pellicle seated there, according to the common Opinion, unless he would have pass'd his Needle thro' the Body of the Crystalline.

This curious Author likewise observes, that the aforesaid Space, between the *Uvea* and the Crystalline Humour, is so very narrow, that tho' he finds it not impossible to introduce a Needle into that Space, yet there is by no means room enough to turn the Needle up and down in all Directions, with that Freedom,

that

(196)

that is used in couching Cataracts, without wounding either the *Uvea*, or the Crystalline.

Lastly, Signor Benevoli observes, that in his Practice of couching Cataracts for many Years, having generally couched about twelve or fourteen in a Year, he had always found, that he work'd upon a hard and resisting Substance, which being tenderly touch'd by the Needle, would vibrate and sluctuate backwards and forwards, and would sometimes return against the Needle with a sensible Impetus, which by no means agrees with the common Notion of the Cataract's consisting in a Pellicle or membranous Substance.

FINIS.

LONDON: Printed for W. and J. Innys, Printers to the Royal Society, at the Prince's Arms the West End of St. Paul's Churchyard.